

SMĚRNÁ POROVNÁNÍ NEREZAVĚJÍCÍCH OCELÍ S OCELEMI PODLE ZAHRA NIČNÍCH NOREM

ČR ČSN	Rusko (GOST)	SRN (DIN)	SRN (W.Nr.)	Anglie (BS)	USA (AISI)	FRANCIE (AFNOR)	ITÁLIE (UNI)
17021	12Ch13	X10Cr13	1.4006	En 54A	403	Z12C13	X15C13
17022	20Ch13	X20Cr13	1.4021	En56C	-	Z20C13	X20C13
17023	30Ch13	-	-	En 56D	420	Z30C13	X32C13
17024	40Ch13	X40Cr13	1.4034	-	420	-	X40C14
17027	-	-	-	-	-	-	-
17029	-	-	-	-	-	-	-
17041	12Ch17	X8Cr17	1.4016	En 60	430	Z8C17	X12C17
17241	12Ch18N9	X12CrNi18 8	1.4300	En 58A	302	Z10CN18 10	X12CN1808
17240	08Ch18N10	X5CrNi18 9	1.4301	En 58E	304	Z6CN 18 10	X6CN1911
17249	03Ch18N10	X2CrNi18 9	1.4306	-	304	Z3CN 18 12	X3CN1911
17242	17Ch18N9	-	-	-	302	-	X15CN
17246	12Ch19N9T	-	-	En 58C	-	-	-
17247	08Ch18N10T	-	-	-	321	Z10CNT18 10	X8CNT1810
17248	-	X10CrNiTi 18 9	1.4541	-	-	-	-
17345	-	-	-	-	-	-	-
17346	-	X5CrNiMo 18 10	1.4401	-	-	-	X8CND1712
17349	-	X2CrNiMo 18 10	1.4404	-	-	-	-
17352	-	X5CrNiMo 18 12	1.4436	-	316	Z6CND 18 12	X8CND1712
17350	03Ch17N14M2	X2CrNiMo 18 12	1.4435	-	316L	Z3CND 18 13	-
17347	-	-	-	-	-	-	-
17348	-	X10CrNiMoTi 18 10	1.4571	En 58H	-	Z10CNDT 18 12	-
17353	08Ch17N13M2T	X10CrNiMoTi18 10	1.4571	En 59 J	-	Z8CNDT 18 12	-
17356	10Ch17N13M3T	-	-	-	-	-	-
17352	-	-	-	-	-	-	-